

# Adjustable Plate Cell

- [Christophe's Adjustable Flat Plate Cells](#)

# Christophe's Adjustable Flat Plate Cells

**Created By:** Christophe Campaign

## Version 1

Source: <https://www.thingiverse.com/scarou/designs>

Improvement of the initial variable plate cell. Now using a GT2 belt to move the plates instead of the previous complex nylon thread system.

Beware! You may learn something...

You will need:

- closed loop rubber GT2 timing belt 180-2GT-6.
- Stainless steel 4x M3x15 mm screws
- Stainless steel 8x M3x10 mm screws
- M5 threaded rod for the drive shaft
- 2 x Stainless steel plate for electrodes (the size you want. Could be in 304 material but not necessary)
- Something to connect the plates. (I usually use stainless steel metal cable ties)

Video:

<https://www.youtube.com/embed/JcV2RfEz2I0>

Files

GT2\_pulley.stl

GT2\_pulley\_drive.stl

Sliding\_support.stl

Base.stl

static\_parallelism\_adjustment\_support.stl

<a href="https://cdn.thingiverse.com/renderers/e4/6cd74c4f/c2/L1d96f11e3e3e04d5e1e9cb1bd520f81/a_preview_featured.jpg">https://cdn.thingiverse.com/renderers/e4/6cd74c4f/c2/L1d96f11e3e3e04d5e1e9cb1bd520f81/a_preview_featured.jpg</a>	<a href="https://cdn.thingiverse.com/renderers/75/171d61125f28bnglve7e2410f0f57fed59fb1822/8575c12540ajit6482adnfyg3555384/">https://cdn.thingiverse.com/renderers/75/171d61125f28bnglve7e2410f0f57fed59fb1822/8575c12540ajit6482adnfyg3555384/</a>	<a href="https://cdn.thingiverse.com/renderers/fd/1ca9ps2//5d/019704f68e7805a6cf9e1731129114080/ed3fhwgc957ebdijmra78ef3629/">https://cdn.thingiverse.com/renderers/fd/1ca9ps2//5d/019704f68e7805a6cf9e1731129114080/ed3fhwgc957ebdijmra78ef3629/</a>
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
<a href="https://cdn.thingiverse.com/renderers/4f/151df8f1474c1y3fcbdd150fw2j1v2RfE2ZD4agq94_preview_featured.jpg">https://cdn.thingiverse.com/renderers/4f/151df8f1474c1y3fcbdd150fw2j1v2RfE2ZD4agq94_preview_featured.jpg</a>		
Image not found or type unknown	Image not found or type unknown	

# Version 2

Source: <https://www.thingiverse.com/thing:1041707>

## Summary

Variable plate cell that can be used with the 8XA experiment. Fit easily in 85 mm diameter jar.

## Post-Printing

It is designed for 60 mm plate width. ( I use 60 x 120 mm 304L plates)

You will need:

- 4 smooth rods 3 mm diameter.
- 1 x M5 threaded rod (lenght depends of your plate size)
- 6 x - M5 nuts
- 4 x - M3 x 15 mm screws + Washers
- 2 x Small screws to block the fishinf line in place.
- Some fishing line (fluorocarbon works well)

Use a 3.1 or 3.2mm drill bit to have an effective guide with the 3mm smooth rods (Too much play and it will not work properly)

Files

- Plate\_cell\_-\_Base\_2.stl
- Plate\_cell\_-\_Base\_1.stl
- Plate\_cell\_-\_Base\_3.stl

image-1656737651557.png	image-1656737660045.png	image-1656737668373.png
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
image-1656737677232.png	image-1656737686667.png	image-1656737694630.png
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
image-1656737702803.png	image-1656737709476.png	image-1656737715070.png
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
image-1656737724575.png	image-1656737736978.png	
Image not found or type unknown	Image not found or type unknown	