

# Christophe's Adjustable Flat Plate Cells

**Created By:** Christophe Campaign

## Version 1

Source: <https://www.thingiverse.com/scarou/designs>

Improvement of the initial variable plate cell. Now using a GT2 belt to move the plates instead of the previous complex nylon thread system.

Beware! You may learn something...

You will need:

- closed loop rubber GT2 timing belt 180-2GT-6.
- Stainless steel 4x M3x15 mm screws
- Stainless steel 8x M3x10 mm screws
- M5 threaded rod for the drive shaft
- 2 x Stainless steel plate for electrodes (the size you want. Could be in 304 material but not necessary)
- Something to connect the plates. (I usually use stainless steel metal cable ties)

Video:

<https://www.youtube.com/embed/JcV2RfEz2I0>

Files

GT2\_pulley.stl

GT2\_pulley\_drive.stl

Sliding\_support.stl

Base.stl

static\_parallelism\_adjustment\_support.stl

<a href="https://cdn.thingiverse.com/renderers/e4/6cd744f/c2/1d96611a/e3e6e4d5/e1e91b52/0f81/25/02/1987/075e268723718e452f612528b917e2410f0f57fed59f1182218575c925f607f6d182ad07f3555384c1">https://cdn.thingiverse.com/renderers/e4/6cd744f/c2/1d96611a/e3e6e4d5/e1e91b52/0f81/25/02/1987/075e268723718e452f612528b917e2410f0f57fed59f1182218575c925f607f6d182ad07f3555384c1</a>	Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
<a href="https://cdn.thingiverse.com/renderers/75/171d611/25/28b917e2410f0f57fed59f1182218575c925f607f6d182ad07f3555384c1">https://cdn.thingiverse.com/renderers/75/171d611/25/28b917e2410f0f57fed59f1182218575c925f607f6d182ad07f3555384c1</a>	Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
<a href="https://cdn.thingiverse.com/renderers/fd/1ca91a2/5d/0119704f68e78b5a86f9e1731129114080/ed3f14/6257e1d114a7c7e36294">https://cdn.thingiverse.com/renderers/fd/1ca91a2/5d/0119704f68e78b5a86f9e1731129114080/ed3f14/6257e1d114a7c7e36294</a>	Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
<a href="https://cdn.thingiverse.com/renderers/4f/151d611/474c13f6/cadd150f7211128f202040d934_preview_featured.jpg">https://cdn.thingiverse.com/renderers/4f/151d611/474c13f6/cadd150f7211128f202040d934_preview_featured.jpg</a>	Image not found or type unknown	Image not found or type unknown	

# Version 2

Source: <https://www.thingiverse.com/thing:1041707>

## Summary

Variable plate cell that can be used with the 8XA experiment. Fit easily in 85 mm diameter jar.

## Post-Printing

It is designed for 60 mm plate width. ( I use 60 x 120 mm 304L plates)

## You will need:

4 smooth rods 3 mm diameter.  
1 x M5 threaded rod (lenght depends of your plate size)  
6 x - M5 nuts  
4 x - M3 x 15 mm screws + Washers  
2 x Small screws to block the fishinf line in place.  
Some fishing line (fluorocarbon works well)

Use a 3.1 or 3.2mm drill bit to have an effective guide with the 3mm smooth rods (Too much play and it will not work properly)

## Files

Plate\_cell\_-\_Base\_2.stl

Plate\_cell\_-\_Base\_1.stl

Plate\_cell\_-\_Base\_3.stl

image-1656737651557.png	image-1656737660045.png	image-1656737668373.png
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
image-1656737677232.png	image-1656737686667.png	image-1656737694630.png
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
image-1656737702803.png	image-1656737709476.png	image-1656737715070.png
Image not found or type unknown	Image not found or type unknown	Image not found or type unknown
image-1656737724575.png	image-1656737736978.png	
Image not found or type unknown	Image not found or type unknown	

Revision #3

Created 2 July 2022 04:46:38 by Chris Bake

Updated 2 July 2022 05:00:40 by Chris Bake