


Gas Processor - 3D STLs

As of 5-18-23, STLs are being printed to test assembly. At this time, until this banner is removed, please do not attempt printing. Verification is needed before others waste time and resources for parts that don't go together. Thank you.

RETAINING CAP:

(100% Fill: 65G) , (50% Fill: 45G)


[Retaining Cap.stl](#)



UPPER INTAKE:

(100% Fill: 29G) , (50% Fill: 23G)


[Upper Intake.stl](#)



BOTTOM PIECE OF UPPER INTAKE:

(100% Fill: 2G) , (50% Fill: 2G)


Bottom Piece To Upper Intake.stl



TOP O-RING

(100% Fill: 44G) , (50% Fill: 29G)


Top O-Ring Plate.stl



LED BODY:

(100% Fill: 206G) , (50% Fill: 120G)


LED Body.stl



OPTICAL LENS:

(100% Fill: 58G) , (50% Fill: 37G)

Optical Lens.stl



OUTER ELECTRODE DIMENSIONS:

OUTER ELECTRODE LED GROOVE STENCIL:

(100% Fill: 6G) , (50% Fill: 6G)

Outer Electrode Stencil .stl




INNER ELECTRODE DIMENSIONS:

BOTTOM O-RING & BLOCK PLATE:

(100% Fill: 68G) , (50% Fill: 43G)


Bottom O-Ring & Block Plate.stl



BOTTOM BLOCK:

(100% Fill: 265G) , (50% Fill: 152G)

[Bottom Block.stl](#)




LED COVER:

(100% Fill: 90G) , (50% Fill: 71G)

[LED Cover.stl](#)



TOTAL ASSEMBLY:



Revision #2

Created 27 May 2023 02:42:07 by Ethan Crowder

Updated 27 May 2023 02:42:27 by Ethan Crowder