


Steam Resonator

Steam Resonant Cavity

Purpose: To produce superheated steam by way of pulsating voltage fields on opposite



Circuit Stage:

Integrating **alternate pulsing circuit** (Q5) as to (Q6) to said **voltage intensifier switching circuit** (AA) arranged in a dual polarity configuration, as illustrated in Figure 32QX titled Steam Resonator Schematic.

SEQUENTIAL GATE CIRCUIT

As shown in Figure 32QX, **variable gate circuit** (32) is a two-state switch device which is directly linked to both **optocoupler** (51) and **optocoupler** (52).

As (H) nears ground or low state (zero volts), **optocoupler** (52) is triggered "on," allowing **power switch** (Q5) to form **unipolar voltage pulse** (53).

Once said **gate circuit** (32) changes voltage state (low to high or vice versa), **trigger pulse** (J) turns on **optocoupler** (51) that "switches" on **power switch** (Q6) to form another **unipolar voltage pulse** (48).

Triggered pulse (H) is now terminated, switching off said **voltage pulse** (53).

Repeating said **duty pulse** (53) sets up a **pulsating voltage field** (62) of positive polarity across said **Excitor Plate** (61) while **circuit** (60) restricts amp flow to a minimum value.

Excitor Plate (61) is made of Stainless Steel T304 material to prevent chemical interaction or material oxidation with natural water.

Blocking diode (58) prevents electrical shorting from occurring across said **pickup coil** (56) during said pulsing operations.

Gated pulse (H) can be proportionally changed via **gate circuit** (32) to "concentrate" or "expand" said **applied voltage** (57) to said **voltage zone** (61) during pulsing operations.

As **on-time** (53) increases, **off-time** (49) proportionally decreases. Pulse adjustment is reversible.

Voltage Intensifier Circuit (70) is an exact duplicate of interfacing circuit (60) and performs in like manner...except **duty pulse** (48) is applied to a second **Excitor Plate** (69) exposed to the opposite side of the same water molecule.

Together **Voltage Intensifier Circuits** (60) and (70) form **Voltage Intensifier Switching Circuit** (AA) of Figure 32QX.

Excitor Plate (61) and **Excitor Plate** (69) form **Steam Resonant Cavity** (80) of Figure 32.

Steam Resonant Cavity (80) can take on different design configurations to meet a predetermined steam-yield.

Voltage Field Oscillation

Dual pulsing circuit (50) linked to said **Voltage Intensifier Switching Circuit** (AA) simply switches or alternates a unipolar positive voltage pulse from one **Excitor Plate** (61) to another **Excitor Plate** (69) in a sequential manner to produce superheated steam by way of voltage deflection of the water molecule.

To increase the rate of steam production, simply increase the formation-rate of said **voltage fields** (62/71) across said **voltage zones** (61/69).




FIG 2: ELECTRICAL POLARIZATION OF THE WATER MOLECULE

COPYRIGHT © 1981 BY STANLEY A. MEYER

Electrical Charging of the

Water Molecule

Since the water molecule is naturally held together by an electrical field of opposite polarity, the hydrogen atoms take on a positive electrical charge relative to the negative charge oxygen atom, as illustrated in Figure 2 of said WFC Tech Brief.

Said electrical fields of opposite polarity surround said water molecule atoms.

The sum total of the positive electrical charges equals the sum total of the negative electrical charge between said unlike atoms...

providing electrical equilibrium of the water molecule.

Voltage Deflection of the Water Molecule

By simply applying a positive **voltage potential** (62) across said **Excitor Plate** (61) for a moment of time, the **water molecule** (72) of [Figure \(2\)](#) as to Figure (32QX) is now deflected or moved toward said **voltage zone** (61) due to opposite electrical attraction force between said negative charged oxygen atom of said water molecule and said **positive electrical voltage zone** (62).

Switching "OFF" said **electrical voltage field** (62) while switching "ON" said **positive electrical voltage field** (71) now causes said **water molecule** (72) to "deflect or move" in opposite direction towards said **voltage zone** (69)...colliding with other water molecules undergoing the same voltage deflection process...generating heat due to particle impact, as illustrated in [Figure 32](#)





FIG 2: ELECTRICAL POLARIZATION OF THE WATER MOLECULE

COPYRIGHT © 1981 BY STANLEY A. MEYER



NOTE: MOLECULE ACTION
 1) Hydrogen atoms becomes electrically polarized (H+) when exposed to B+ electrical voltage zone.
 2) Like electrical charges repel.

FIG. 32: UTILIZING VOLTAGE POTENTIAL TO PRODUCE SUPERHEATED STEAM ON DEMAND

Copyright © 1983 by Stanley A. Meyer

Repetitive formation of said **voltage fields** (62/71) on opposite sides of said water molecule oscillates the water molecules in a back-and-forth pattern between said **voltage zones** (62/71)...converting said natural water into superheated steam for utilization.

To increase steam-yield still further, simply increase the voltage amplitude of said **D.C. power supply** (30) of Figure 32QX.

Caution: DO NOT SIMULTANEOUSLY APPLY AN OPPOSITE ELECTRICAL VOLTAGE FIELD ACROSS SAID WATER MOLECULE UNLESS YOU WANT TO PRODUCE HYDROGEN GAS ON DEMAND. THIS PROCESS IS CALLED "THE ELECTRICAL POLARIZATION PROCESS."

Revision #7

Created 2024-10-18 00:52:07 UTC by Chris Bake

Updated 2024-10-21 23:38:23 UTC by Chris Bake