

# Electrically Charged Water Molecule




FIGURE 3-27: ELECTRICALLY CHARGED WATER MOLECULE

Atomic structure of an **atom** (76)

and (77) of Figure (3-27) exhibits two types of electrical charged mass entities, **orbital electrons** (79) having **negative electrical charges** ( - ) and a **nucleus** (84) (at least one proton) having a **positive electrical charge** ( + ).


“ The **positive electrical charge** of the nucleus equals the sum total of all **negative electrical charged electrons** when the atom is in "**stable-state**."

In stable state or normal-state, the number of electrons equals the number of protons to give the atom "**no**" net electrical charge.

Whenever one or more electrons are "**dislodged**" from the atom, the atom takes-on a net positive electrical charge and is called a **positive ion**.

If an electron combines with a stable or normal atom, the atom has a **net negative charge** and is called a **negative ion**.

**Voltage potential** (65) within electrical **circuit** (60) can cause one or more **electrons** (79) to be dislodged from the **water molecule atom** (85) of Figure (3-26) due to opposite electrical polarity attraction ( $qq'$ ) of Figure (3-29) between unlike charged entities, as shown in (160) of Figure (326) as to **Newton's** and **Coulomb's laws** of **electrical-force**.



“ These same laws of **electrical-force** ( $qq'$ ) are used to combine or join atoms together by way of **covalent bonding** (opposite electrical forces) to form a molecule of **water** (85), as illustrated in (210) of Figure (3-27).

The liquid molecule of **water** (210) of Figure (3-27) is formed when the two **hydrogen atoms** (77a1b) takes-on a net "**positive electrical charge**" (78), which is, equal to the net "**negative electrical charge**" (81) of the **oxygen atom** (76).

The resultant **electrical force** ( $qq'$ ) between the opposite electrical charged **hydrogen** (77) and **oxygen** (76) atoms keeps **water molecule** (210) intact when the **hydrogen atom** (77) shares its **electron** (84) with **oxygen atom** (76).

“ The electrical strength of **attraction force** ( $qq'$ ) between the water molecule atoms is determined by the electrical size of the hydrogen atoms and the displacement of its **negative charged electrons** (84) during covalent sharing.




FIGURE 3-27: ELECTRICALLY CHARGED WATER MOLECULE

Oxygen atom becomes **negative**

**electrical charged** (81) since **oxygen atom** (76), now, has a total of ten negative charged electrons (79a xxx 79n) in its "K" plus "L" orbits while maintaining its original **eight positive charged protons** which makes up **oxygen nucleus** (83).

Since the **hydrogen proton** (84) (hydrogen nucleus) remains (after covalent link up), then the **hydrogen atom** takes-on a **positive charge** (78) co-equalling the **positive charge** of the **hydrogen nucleus proton** (84).

Together, the total net charge of **water molecule** (85) is zero despite the fact that each water molecule atom retains its electrical charge.

In other words, water molecule (85) is a electrically bipolar molecule having a stable configuration of charged atoms bound together by **electrostatic force** ( $qq'$ ).

Electromagnetic bonding forces between unlike **atoms** (76n7) are negligible or non-existence, since **oxygen atom** (76) electrons are paired together, while rotating in opposite direction which, in turn, causes **oxygen atom** (76) to be electromagnetically neutral to **hydrogen atom** (77).

Electron theory of magnetism requires orbital electrons to spin in the same direction before an atom can exhibit a electromagnetic field.

Furthermore, **external electrical force** (66/67) can alter the electromagnetic properties of a atom since electromagnetic force is dependent on the movement of **charged particles** in a electrostatic field **voltage Intensifier circuit** (190) of figure (3-23), now, allows voltage to dissociates **water molecule** (85) by overcoming **electrostatic bonding force** (qq') between **unlike atoms** (76n7) while restricting amp flow, as illustrated in (160) of Figure (3-26).

Figure (3-23)




FIGURE 3-23 : PULSING CORE CONFIGURATION

Figure (3-26)




FIGURE 3-26: ELECTRICAL POLARIZATION PROCESS

Revision #5

Created 2023-12-20 04:39:47 UTC by Chris Bake

Updated 2023-12-24 00:15:37 UTC by Chris Bake