

Laser Distributor

430




FIGURE 3-44: LASER DISTRIBUTOR

Laser Distributor assembly (430) of

Figure (3-44) functions in similar manner as **Laser Accelerator** (20) of Figure (3-10) except **light-gate** (141) of Figure (3-44) rotates in the same direction of **Spark-rotor** (142) and being displaced opposite to **rotor blade** (142), allowing intermixed **processed ambient air gases** (101) and **Fuel-Gases** (88) to enter **engine cylinder** (102) of Figure (3-38), as illustrated in **Injector Control Circuit** (300) of Figure (3-4).

Laser Accelerator (20) of Figure (3-10)




FIGURE 3-10:LASER ACCELERATOR

engine cylinder (102) of Figure (3-38)




FIGURE 3-38: RETROFIT ENERGY SYSTEM



50% DUTY CYCLE PULSE

FIGURE 3-16: VARIABLE CLOCK PULSE TRAIN

Rotating **light-gate triggering circuit assembly** (430) sequentially activates **Pulse Shaping Generator** (440) of Figure (3-4) to produce a constant 50% Duty-cycle Pulse-Train (see Figure 3-16 once again) to **Analog voltage Generator** (40) of **Hydrogen Gas Management System** (200) of Figure (3-1) as to Figure (3-5).

200



300



350



100



As **Laser Accelerator** (JJ) advances toward "Peak" engine performance, **Fuel-Injectors** (36) open gate-time (on-time) increases proportionally.

Opposite or reverse movement of **Laser Accelerator** (JI) decreases **Injectors** (36) **on-time** which, in turns, reduces engine speed.

Revision #3

Created 20 December 2023 04:41:32 by Chris Bake

Updated 22 December 2023 07:52:58 by Chris Bake